

SAFETY DATA SHEET

Issuing Date 31-Aug-2015

Revision Date 23-Feb-2016

Revision Number 1

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier Product Name:

Rubberize Heavy Duty Crack Filler

Other Means of Identification Product Code(s): Synonyms

10-440-01 None

Recommended Use of the Chemical and Restrictions on UseRecommended Use:No Information AvailableUses Advised Against:No Information Available

Supplier's Details Supplier Address Century Container, LLC 5331 State Route 7 New Waterford, OH 44445 TEL: 800-955-8443 www.centuryindustriescorporation.com

Emergency Telephone Number

Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

GHS Label Elements, Including Precautionary Statements

Emergency Overview			
Signal Word Warning			
\mathbf{A}			
•			
•Harmful if swallowed			
 May cause skin irritation 			
Appearance: Black	Physical State: Liquid	Odor: Asphaltic	

Precautionary Statements

Prevention•NoneGeneral Advice•NoneStorage•NoneDisposal•None

Hazard Not Otherwise Classified (HNOC) Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Asphalt	8052-42-4	40-60	*
Kaolin	1332-58-7	10-20	*
Polymer Blend	Proprietary	0-15	*

*The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

	4. FINST AID MEASURES		
Description of Necessary First-A	id Measures		
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a		
Shin Contact	physician. Weak off immediately with some and planty of water, by the some of claim initiation on ellevision		
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions, see a physician.		
Inhalation	Move to fresh air. If symptoms persist, call a physician.		
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an		
	unconscious person. Consult a physician if necessary.		
Most Important Symptoms/Effect Most Important Symptoms/Effect			
Indication of Immediate Medical	Attention and Special Treatment Needed, If Necessary		
Notes to Physician	Treat Symptomatically. May cause sensitization by skin contact.		
	5. FIRE-FIGHTING MEASURES		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media			
Carbon Dioxide (CO ₂). Dry Chemic	al. Foam. Water Fog.		
Unsuitable Extinguishing Med	lia CAUTION: Use of water spray when fighting fire may be inefficient.		
Unsultable Extinguishing med	a ono none. Oso ol watel spray when righting the may be includent.		
Specific Hazards Arising from the	e Chemical		
No information available			
Explosion Data			
Sensitivity to Mechanical Impa			
Sensitivity to Static Discharge	e None		
Protective Equipment and Preca	utions for Firefighters		
	preathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective		
gear.			
	6. ACCIDENTAL RELEASE MEASURES		
	0. ACCIDENTAL RELEASE MERSORES		
	Equipment, and Emergency Procedures		
Personal Precautions:	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal		
	protective equipment.		
Environmental Precautions			
Environmental Precautions:	See Section 12 for additional Ecological Information		
Methods and Materials for Conta	inment and Cleaning IIn		
Methods for Containment:	Prevent further leakage or spillage if safe to do so.		
Methods for Cleaning Up:	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled		
	containers. Clean contaminated surface thoroughly.		
7. HANDLING AN	D STORAGE		
Precautions for Safe Handling			
Handling:	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with		
	skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after		
	handling.		
Conditions for Safe Storage, Incl Storage:	uding Any Incompatibilities Keep container tightly closed		
Incompatible Products:	Strong oxidizing agents. Acids.		

EXPOSURE CONTROLS / PERSONAL PROTECTION 8.

Control Parameters Exposure Guidelines

Chemical Name	ACGI	H TLV	OSHA PEL	NIOSH IDLH
Asphalt	TWA: 0.5 mg/m ³ benzene soluble			Ceiling: 5 mg/m ³ fume 15
8052-42-4	aerosol fume, inhalable fraction		-	min.
Kaolin 1332-58-7	-		TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA 5 mg/m ³ respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Appropriate Engine Engineering Measur		Showers Eyewash Stations Ventilation Syster		
Eye/Face Protection	and Body Protection: Impervious gloves.			
			ion is experienced, NIOSH/MSHA appro	
Hygiene Measures:		Handle in accorda	ance with good industrial hygiene and saf	ety practice.
		9. PHYSI	CAL AND CHEMICAL PROPERTIES	
Information on Basi		nemical Properties		
•	iquid Asphaltic		Appearance: Black Odor Threshold: No Info	rmation Available
Property		Values	Remarks/Method	1
		No data available	None known	-
Melting Point/Range No data available		None known		
Boiling Point/Boiling Range 100° C		None known		
Flash Point		No data available	None known	
Evaporation Rate		1.8	None known	
Flammability (solid,		No data available	None known	
Flammability Limits Upper flammabili		No data available		
Lower flammabili		No data available		
apor Pressure		No data available		
apor Density		<1	None known	
Specific Density		1.12 @ 77 F	None know	
		Easily dispersible	None known	
		No data available	None known	
Partition coefficient			None known	
Autoignition Tempe		No data available		
Decomposition Temperature No data available		None known		
Flammable Propertie	iscosity No data available None known			
Flammable Properties Not Flammable Explosive Properties No data available				
Oxidizing Properties				
VOC Content		Less than 15 g/L		
		10. S ⁻	TABILITY AND REACTIVITY	
Reactivity:		No data available		
Chemical Stability:				
	ossibility of Hazardous Reactions: None under normal processing.			
	ous Polymerization: Hazardous polymerization does not occur.			
Conditions to Avoid: None known				

- None known
- Conditions to Avoid: Incompatible Materials: Incompatible Materials: Strong oxidizing agents. Acids. Hazardous Decomposition Products: Carbon Monoxide (CO), Carbon Dioxide (CO²), Hydrogen Sulfide, Nitrogen Dioxide

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure Pro

duct Information	
Inhalation:	May cause irritation of respiratory tract.
Eye Contact:	Contact with eyes may cause irritation.
Skin Contact:	May cause irritation.
Ingestion:	Ingestion may cause stomach discomfort.
U	5 , 1

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Asphalt	5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-

Symptoms Related to the Physical, Chemical, and Toxicological CharacteristicsSymptoms:No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure			
Sensitization:	No information available.		
Mutagenic Effects:	No information available.		
Carcinogenicity:	The table below indicates whether each agency has listed any ingredient as a carcinogen. The IARC, NTP, and OSHA do not list asphalt as a carcinogen. In general, the oxidation of polycyclic aromatic hydrocarbons destroys their carcinogenic potential. Petroleum asphalt, shale oil asphalts, and coal tars show distinct variation in their relative carcinogenicity for experimental animals.		

Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt	A3	Group 2B	Reasonably Anticipated	х

ACGIH: (American Conference of Governmental Industrial Hygienists) A3 – Animal Carcinogen IRAC: (International Agency for Research on Cancer) Group 2B – Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Persistence and Degradability: No information available. Bioaccumulation

Chemical Name	Log Pow
Asphalt	6006

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.
Contaminated Packaging:	Do not re-use empty containers.

14. TRANSPORTATION INFORMATION

DOT:

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA – Complies DSL/NDSL – Complies

Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Asphalt	8052-42-4	20-40	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65:

This product does not contain any Proposition 65 chemicals.

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Asphalt	Х	Х	Х		Х
Kaolin	Х	Х	Х		Х
Carbon Black	Х	Х	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number:

Not applicable

16. OTHER INFORMATION							
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-			
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X			
Revision Date: Revision Note:	23-Feb-2016 Supersedes 31-	Aug-2015					

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.