

# SAFETY DATA SHEET

Issuing Date 15-May-	2015 Revision Date	<b>Revision Number</b> 0	
1. IDENTIFIC	CATION OF THE SUBSTANCE/PREPA	RATION AND THE COMPANY/UNDERTAKING	
GHS Product Identifier			
Product Name:	Pro-Q 8-Year Ultra Premium Dr	iveway Filler and Sealer	
Other Means of Identification	<u>n</u>		
Product Code(s):	10-492-05		
Synonyms	None		
Recommended Use of the C	Chemical and Restrictions on Use		
Recommended Use:	No Information Available		
Uses Advised Against:	No information Available		
Supplier's Details			
Supplier Address Century Container, LLC 5331 State Route 7 New Waterford, OH 44445 TEL: 800-955-8443 www.centuryindustriescorpore	ation.com		
Emergency Telephone Num	<u>ber</u>		
Emergency Telephone Number Chemtrec 1-800-424-9300			
2. HAZARDS IDENTIFICATION			
<b>Classification</b>			
This chemical is not consid	dered hazardous according to the OSHA Haz	zard Communication Standard 2012 (29 CFR 1910.1200).	
GHS Label Elements, Includ	ling Precautionary Statements		
	Emergency	Overview	
Signal Word	None		
The product contains no	substances which at their given concentratio	n are considered to be hazardous to health.	
Appearance: Black	Physical State: Liq	uid Odor: Asphaltic	
Precautionary Statements Prevention General Advice Storage Disposal <u>Hazard Not Otherwise Class</u>	<ul> <li>None</li> <li>None</li> <li>None</li> <li>None</li> <li>sified (HNOC)</li> </ul>		
	Page 1		

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Limestone	1317-65-3	20-40	*
Asphalt	8052-42-4	20-40	*
Quartz	14808-60-4	<20	*
Kaolin	1332-58-7	<10	*
Bentonite	1302-78-9	<10	*

\*The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES		
Description of Necessary First-Aid N		
Eye Contact	Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician.	
Skin Contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions, see a physician.	
Inhalation	Move to fresh air. If symptoms persist, call a physician.	
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician if necessary.	
Most Important Symptoms/Effects, A	Acute and Delayed	
Most Important Symptoms/Effects	No information available	
Indication of Immediate Medical Atte	ention and Special Treatment Needed, If Necessary	
Notes to Physician	Treat Symptomatically. May cause sensitization by skin contact.	
	5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media Carbon Dioxide (CO <sub>2</sub> ). Dry Chemical. H	Foam. Water Fog.	
Unsuitable Extinguishing Media	CAUTION: Use of water spray when fighting fire may be inefficient.	
Specific Hazards Arising from the C No information available	hemical	
<u>Explosion Data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None None	
Protective Equipment and Precaution As in any fire, wear self-contained breat gear.	ons for Firefighters athing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective	
	6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions, Protective Eq	uipment, and Emergency Procedures	
Personal Precautions:	Ensure adequate ventilation. Avoid contact with skin, eyes and clothing. Use personal protective equipment.	
Environmental Precautions		
Environmental Precautions:	See Section 12 for additional Ecological Information	
Methods and Materials for Containm	nent and Cleaning Up	
Methods for Containment:	Prevent further leakage or spillage if safe to do so.	

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

#### 7. HANDLING AND STORAGE

#### Precautions for Safe Handling

Handling: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Avoid breathing vapors or mists. Do not eat, drink, or smoke when using this product. Wash thoroughly after handling.

Conditions for Safe Storage, inc	cluding Any incompatibilities
Storage:	Keep container tightly closed
Incompatible Products:	Strong oxidizing agents. Acids.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Control Parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 15 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m³ respirable dust TWA 10 mg/m³ total dust
Asphalt 8052-42-4	TWA: 0.5 mg/m <sup>3</sup> benzene soluble aerosol fume, inhalable fraction	-	Ceiling: 5 mg/m³ fume 15 min.
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	30/(%SiO2+2) mg/m <sup>3</sup> TWA, Total Dust; 250/(%SiO2+5) mppcf TWA, respirable fraction; 10/(%SiO2+2) mg/m <sup>3</sup> TWA, respirable TWA: 0.1 mg/m <sup>3</sup> (vacated)	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Kaolin 1332-58-7	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA 5 mg/m <sup>3</sup> respirable fraction	TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable dust
Bentonite 1302-78-9	TWA 1 mg/m <sup>3</sup> respirable fraction	-	-

#### **Appropriate Engineering Controls**

**Engineering Measures:** Showers Eyewash Stations Ventilation Systems Individual Protection Measures, such as Personal Protective Equipment **Eye/Face Protection:** If splashes are likely to occur, wear: Safety glasses with side shields. Skin and Body Protection: Impervious gloves. **Respiratory Protection:** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. **Hygiene Measures:** Handle in accordance with good industrial hygiene and safety practice. 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on Basic Physical and Chemical Properties

Physical State:LiquidOdor:Asphaltic		Appearance: Odor Threshold:	Black No Information Available
<u>Property</u> pH Melting Point/Range	<u>Values</u> No data available No data available	None kn None kn	
Boiling Point/Boiling Range	100° C	None known	
Property	Values		s/Method
Flash Point	No data available	None kn	
Evaporation Rate	No data available	None kn	
Flammability (solid, gas) Flammability Limits in Air	No data available	None kn	own
Upper flammability limit	No data available		
Lower flammability limit	No data available		
Vapor Pressure	No data available	None kn	
Vapor Density Specific Density	No data available 1.29 @ 77 F	None kn None kn	
Water Solubility	Easily dispersible	None kn	
Solubility in other solvents	No data available	None kn	
Partition coefficient: n-octanol/wate		None kn	• • • • • • • • • • • • • • • • • • • •
Autoignition Temperature	No data available	None kn	own
Decomposition Temperature	No data available	None kn	own
Viscosity	No data available	None kn	own
Flammable Properties	Not Flammable		
Explosive Properties Oxidizing Properties	No data available No data available		
Other Information			
VOC Content	Less than 15 g/l		
	10. STABILITY	AND REACTIVIT	Y
Reactivity:	No data available		
Chemical Stability:	Stable under recommended	storage conditions.	
Possibility of Hazardous Reactions	None under normal processing.		
Hazardous Polymerization:	Hazardous polymerization does not occur.		
Conditions to Avoid:	None known		
Incompatible Materials:	Strong oxidizing agents. Acie	ds.	
Hazardous Decomposition Product	s: Carbon Monoxide (CO), Carb	oon Dioxide (CO²), H	ydrogen Sulfide, Nitrogen Dioxide

# 11. TOXICOLOGICAL INFORMATION

# Information on Likely Routes of Exposure

Ingestion:	Ingestion may cause ston	nach discomfort.
Skin Contact:	May cause irritation.	
Eye Contact:	Contact with eyes may ca	use irritation.
Inhalation:	May cause irritation of res	
Product Information		

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Asphalt	5000 mg/kg (Rat)	>2000 mg/kg (Rabbit)	-
Quartz	500 mg/kg (Rat)		
Bentonite	>5000 mg/kg (Rat)	-	-

# Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms:

No information available.

#### Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: Mutagenic Effects: Carcinogenicity:	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen. The IARC, NTP, and OSHA do not list asphalt as a carcinogen. In general, the oxidation of polycyclic aromatic hydrocarbons destroys their carcinogenic potential. Petroleum asphalt, shale oil asphalts, and coal tars show distinct variation in their relative carcinogenicity for experimental animals. This product contains crystalline silica (quartz) in a non-respirable form. Inbalation of crystalline silica is unlikely to occur from exposure to this product
	form. Inhalation of crystalline silica is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Asphalt	A3	Group 2B	Reasonably Anticipated	х
Quartz	A2	Group 1	Known	Х

#### ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 – Animal Carcinogen A2 – Suspected Human Carcinogen **IRAC: (International Agency for Research on Cancer)** Group 2B – Possibly Carcinogenic to Humans Group 1 – Carcinogenic to Humans **NTP: (National Toxicity Program)** Reasonably Anticipated – Reasonably Anticipated to be a Human Carcinogen Known – Known Human Carcinogen **OSHA: (Occupational Safety & Health Administration)** X – Present **Reproductive Toxicity:** No information available

Reproductive Toxicity:	No information available.
STOT - Single Exposure:	No information available.
STOT – Repeated Exposure:	No information available.
Aspiration Hazard:	No information available.

#### Numerical Measures of Toxicity – Product

The following values are calculated based on Chapter 3.1 of the GHS document

LD50 Oral:	12542 mg/kg; Acute toxicity estimate
LD50 Dermal	6181 mg/kg, Acute toxicity estimate

#### **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Bentonite 1302-78-9		LC50 96 h: 8.0-19.0 g/L (Salmo gairdneri) LC50 96 h: = 19000 mg/L static (Oncorhynchus mykiss)		

#### Persistence and Degradability:

No information available.

#### **Bioaccumulation**

Chemical Name	Log Pow
Asphalt	6.006

Other Adverse Effects:

#### No information available.

# 13. DISPOSAL CONSIDERATIONS Waste Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine

whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

**Contaminated Packaging:** 

Do not re-use empty containers.

# 14. TRANSPORTATION INFORMATION

DOT:

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories TSCA – Complies

DSL/NDSL - Complies

#### Legend

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List

# U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values %
Asphalt	8052-42-4	20-40	0.1

#### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

# Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific requirements at the local, regional, or state level pertaining to releases of this material.

# U.S. State Regulations

# **California Proposition 65:**

Chemical Name	CAS Number	California Prop. 65
Quartz	14808-60-7	Carcinogen

#### U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Limestone	Х	Х	Х		Х
Asphalt	Х	Х	Х		Х
Quartz	Х	Х	Х	-	Х
Kaolin	Х	Х	Х		Х

#### **U.S. EPA Label Information**

EPA Pesticide Registration Number: Not applicable

Page 6

	16. OTHER INFORMATION				
<u>NFPA</u>	Health Hazard: 1	Flammability: 0	Instability: 0	Physical and Chemical Hazards-	
<u>HMIS</u>	Health Hazard: 1	Flammability: 0	Physical Hazard: 0	Personal Protection: X	
Revision Date:15-May 2015Revision Note:No information available.					

<u>General Disclaimer</u> The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.